

```

#
# Default Bacula File Daemon Configuration file
#
# For Bacula release 5.0.0 (26 January 2010) -- redhat (Final)
#
# There is not much to change here except perhaps the
# File daemon Name to
#
#
# Updates and annotation by K. M. Peterson
# http://kmpeterson.com/special/bblisa-bacula
#

#
# List Directors who are permitted to contact this File daemon
#
Director {
    Name = bacula-dir                                # match Name directive in Director
    "Director" configuration
    Password = "bAcU1AfDpAsSwOrDx"                # match password in Client directive of
    Director configuration ("x")
}

#
# Restricted Director, used by tray-monitor to get the
# status of the file daemon
#
Director {
    Name = bacula-mon
    Password = "BaCuLaMoNsDpAsSwOrD"
    Monitor = yes
}

#
# "Global" File daemon configuration specifications
#
FileDaemon {
    Name = bacula-fd                                # this is me
    FDport = 9102                                    # this is the actual name of the FD
    director                                         # where we listen for the
    WorkingDirectory = /var/spool/bacula
    Pid Directory = /var/run
    Maximum Concurrent Jobs = 20
}

# Send all messages except skipped files back to Director
Messages {
    Name = Standard
    director = bacula-dir = all, !skipped, !restored
}

```